J C WRAY

RECEIVED CENTRAL FAX CENTER 03 448-7397

JUL 2 2 2005

09/852616

CERTIFICATE OF TRANSMISSION I hereby certify that this five-page correspondence is being facsimile transmitted to the Patent and Trademark Office (Fax No.

571-273-8300)

Certificate

p. 1

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Fax: 571-273-8300

of Correction

LANG et al.

In re Patent of

Patent No. 6,901,873

Patent Date: June 7, 2005

For: LOW-DRAG HYDRODYNAMIC SURFACES

REQUEST FOR CERTIFICATE OF CORRECTION

To the Director of the Patent and Trademark Office Sir:

Kindly accept and enter the attached Certificate of Correction for the above-identified patent.

Also attached is a marked-up copy of the title page of the patent, and a copy of the originally filed declaration showing the correct address of the second inventor.

Since the error originated in the Patent and Trademark Office, no fee is required.

Respectfully,

James C. Wray, Reg. No. 22,693

Meera P. Narasimhan, Reg. No. 40,252 Matthew J. Laskoski, Reg. No. 55,360

1493 Chain Bridge Road

Suite 300

McLean, Virginia 22101 Tel: (703) 442-4800

Fax:

(703) 448-7397

July 22, 2005

Jul 22 05 10:03a

J C WRAY

JUL 2 2 2005

Jul 12 05 12:35p

J C WRAY

703 448-7397

p.2

p.2

PTO/SR/44 (04-04)

Approved for use through 04/30/2007. OMB 0551-0033
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of triomerion unless it displays a valid OMB control number.

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. :

6,901,873

DATED

Jume 7, 2005

INVENTOR(S) :

Thomas G. Lang and James T. Lang

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title Page

Item (76), line 3.

The street address of the second inventor should read:

559 Homer Avenue

MAILING ADDRESS OF SENDER:

PATENT NO.__6,901,872

James C. Wray

No. of additional copies

McLean, VA 22101
This collection of information is required by 37 GFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file can be information in required by 37 GFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file can be information or process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 GFR 1.44. This collection is estimated to take 1.0 hour to can be used to process of an application. Confidentiality is governed by 35 U.S.C. 122 and 37 GFR 1.44. This collection is estimated to take 1.0 hour to complete the line to the U.S.P.O. Thin will vary depending upon the individual case, Any compared in the smooth of time you require to complete this form and/or suggestions for reducing this bunden, should be sent to the Chief information Officer, comments on the amount of time you require to complete this form and/or suggestions for reducing this bunden, should be sent to the Chief information Officer, comments on the amount of time you require to complete this form and/or suggestions for reducing this bunden, should be sent to the Chief information Officer, comments on the amount of time you require to complete this form and/or suggestions for reducing this bunden, should be sent to the Chief information Officer, comments on the amount of time you require to complete this form and/or suggestions for reducing this bunden, should be sent to the Chief information Officer, comments on the amount of time you require to complete this form and/or suggestions for reducing this bunden, should be sent to the Chief information Officer, comments on the amount of time you require to complete this form and/or suggestions for reducing this bunden, should be sent to the Chief information Officer, comments on the chief information of the chi

If you need assistance in completing the form, cell 1-800-PTO-9199 and select option 2.

PAGE 2/5 * RCVD AT 7/12/2005 1:29:35 PM (Eastern Daylight Time) * SVR:USPTO-EFXRF-1/4 * DNIS:8729306 * CSED:703 448 7397 * DURATION (mm-ss):02-16

Jul 22 05 10:03a

Jul 12 05 12:35p

J C WRRY

Subject to any disclaimer, the term of this patent is extended or adjusted under 35

114/280; 114/289

114/288-290; 244/204, 207-212

114/67 A. 277,

..... 440/44

..... 114/67 A

70

703 448-7397

p.3

US002: J1873B1

(12) United States Patent

(54) LOW-DRAG HYDRODYNAMIC SURFACES

CA (US) 94301

May 11, 2001

Oct. 9, 1997, now Pat. No. 6,167,829,

(76) Inventors: Thomas G. Lang, 417 Loma Large Dr., Salona Beach, CA (US) 92075; James T. Lang, 559 Homer Ave., Palo Alto,

U.S.C. 154(b) by 0 days.

Related U.S. Application Date Continuation-in-part of application No. 09/689,698,

(52) U.S. Cl. 114/67 A; 114/61.1; 114/278;

References Cited

U.S. PATENT DOCUMENTS

12/1914 Fauber

3/1927 Casesy Wennagel

9/1921 Pox

7/1962

11/1963

3/1911 Schroeder

filed on Oct. 13, 2000, now Pat. No. 6,439,148, which is a division of application No. 08/948,242, filed on

Lang et al.

(*) Notice:

Filed:

(22)

(56)

(21) Appl. No.: 09/852,616

986.766 A *

1,003,364 A 1,050,517 A

1,121,006 A

1,389,865 A

1.621.625 A

3,044,432 A

(10) Patent No.:

TP

(45) Date of Patent:

US 6,901,873 B1 Jun. 7, 2005

9/1969 Bowles 3,467,043 A (Continued)

FOREIGN PATENT DOCUMENTS

61081283 A * 4/1986 B63B 1/38

(Continued)

OTHER PUBLICATIONS

(No named author); State-of-the-Art Investigation on Artificial Cavity Ships: Project Report, Ship Hydrodynamic Division, Krylov Shipbuilding Research Institute; St. Petersburg, Russia, Feb. 2001; 70 pages.

Primary Examiner-S. Joseph Morano Assistant Examiner-Ajay Vasudova (74) Attorney, Agent, or Firm-James Creighton Wray: Mecra P. Narasimhan

ABSTRACT

The invention relates to the use of gas cavities to reduce frictional drag on underwater surfaces such as hydrofolis, struts, fins, rudders, keels, propeller blades, ship hulls, underwater bodies, and wetted surfaces in general. Each gas-filled cavity is formed behind a discontinuity in the surface that causes the water boundary layer to separate from the surface. Gas is ejected into a region behind the discontinuity to fill the cavity; the gas can be air. If a cavity is open to the atmosphere, then air can typically fill the cavity naturally without air ejection. Cavities can either be closed or open. A low drag hydrofoil may have a closed cavity on one side, and an open cavity on the other side. For closed cavities, the underlying surface can be shaped to minimize cavity closure drag. Various ways to generate cavities, change hydrodynamic forces, and duct gas internally on hydrofoils and struts with cavities are covered. Different designs of hydrofoil boats, hydrofoil ships and ship bulls that are amenable to drag reduction are presented.

Lang Wiberg 3,109,495 A 3,199,484 A 223 Claims, 12 Drawing Sheets 8/1965 8/1965 Cale 3,203,389 A 55 85

PAGE 3/5 * RCVD AT 7/12/2005 1:29:35 PM [Eastern Daylight Time] * SVR:USPTO-EFXRF-1/4 * DNIS:8729:306 * CSID:703 448 7397 * DURATION (mm-sc):02-16

Jul 12 05 12:35p

J C WRAY

703 448-7397

Please type a plus sign (+) inside this box -> 🛨

PTO/SB/01 (10-00)

Approved for use through 10/31/2002, OMB 6551-0329

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1998, no persons are required to respond to a collection of information unless it contains a valid OMB control number. Ð

DECLARATION FOR UTILITY OR			RO VIIILITY	Attorney Docket Numb	ber			
DESIGN				First Named Inventor	LANG			
PATENT APPLICATION (37 CFR 1.63)				COMPLETE IF KNOWN				
			63)	Application Number	/	···		
Declaration Submitted with Initial Filing	OR (Declaration	Filing Date	05/11/2001				
		:	Submitted after Initial Filing (surcharge (37 CFR 1.16 (e)) required)	Group Art Unit				
		- 1		Examiner Name				

As a below named inventor, I (As a below named inventor, I hereby declare that:									
My residence, mailing address, a		talad halournant to me o	· 							
I believe I am the original, first ar names are listed below) of the su	nd sale imparter (if anh.	0mm manus != 8-4-4 b-1		rat and joint inventor (if plural -						
Low-Drag Hydrody	namic Surfaces			To a revenue a suppos						
the specification of which	((Title of the Invention)								
is attached hereto										
OR Was filed on (MM/DD/YYYY	,	es United S	States Application	Number or PCT International						
Application Number		amended on (MM/DD/YY	m [(if applicable).						
I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment specifically referred to above.										
I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR 1.56, including for continuation- in-part applications, material information which became available between the filling date of the prior application and the national or PCT International fitting date of the continuation-in-part application.										
I bereby claim foreign priority benefits under 35 U.S.C. 119(a)-(d) or 365(b) of any foreign application(s) for patent or inventor's certificate, or 365(a) of any PCT international application which designated at least one country other than the United States of America, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or any PCT international application having a filing date before that of the application on which priority is claimed.										
Prior Foreign Application Number(s)	Country	Foreign Filing Date (MWDD/YYY)	Priority Not Claimed	Certified Copy Attached? YES NO						
			0000	0000						
Additional foreign application r	rumbers are listed on a	supplemental priority dat	la sheet PTO/SB/	02B attached hereto:						
I hereby claim the benefit under 35 U.S.C. 119(e) of any United States provisional application(s) listed below.										
Application Number(a)		(MM/DDYYY)	Additiona numbers suppleme	d provisional application are fisted on a ental priority data sheet D2B attached hereto.						

[Page 1 of 2]

Burden Hour Statement: This form is estimated to take 21 minutes to complete. Time will vary depending upon the needs of the individual case. Any commonts on the amount of time you are required to complete this form should be sent to the Chief information Officer, U.S. Petent and Trademark Office, Washington, OC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, OC 20231.

PAGE 4/5 * RCVD AT 7/12/2005 1:29:35 PM [Eastern Daylight Time] * SVR:USPTO-EFXRF-1/4 * DNIS:8729306 * CSID:703 448 7397 * DURATION (mm-ss):02-18

Jul 12 05 12:35p J C WRAY

703 448-7397

p.5

Processing a give sign (-) unable the sec. Approve for the Unexpired for the United States of Control of Con									
DECLARATION — Utility or Design Patent Application									
Direct eli cumaspordatos	ce: Customer N	iurriser Legal] OP [K] O	DTHOUGHTON AN	draw čelov			
Name James C. Wray									
Address 1693	1493 Chain Bridge Road								
Suite Agdress	Suite 300								
City McLes			Plate	VA .	22101				
Country		(7) Telephone	3) 442	-4500	(703) Pex	448-7397			
	I hereby decision that all attaigments made how of my own immedage one due and that of statements made on information to be part and further that these statements were made with the howevery into which false statements and the the so made any punishable by fine or imprecessed, or both, under 18 U.S.C. 1004 and the such addle take obstaments may paparatics the validity of the appearation of any passed based tierson.								
NAME OF SOLE OR		1 5] A petit	ion has been file	d for this unelg	ned inventor			
Given Name	Thomas C.		Panty	Name Lang					
(Rest and middle [if any]) or discourse.						101			
STURES 1	une Beach	Stee	CA	County US	Chanchip	US .			
Making Address 41?	At Long Large Drive								
Mating Address	·								
Solona Beach	- Carlo	CA	. 23	92075	Country	us			
	NAME OF SECOND INVENTOR:								
Given Harns	James T	•	Family or Supp			,			
Inventor's Von	es T. Kar	T			5/10	101			
Signature	n Ales		CA	Country	Claronahip	US			
Melling Address 559 Homer Avenue									
Nating Address									
2-1 414-		CA	Z)P	94301	Country	275			
	Additional (mentors are deing rained on theeutprairiental Adolfonal Inventor(s) sheet(s) PTO/SB/02A attaiz/ad haraco.								

PAGE 5/5 * RCVD AT 7/12/2005 1:29:35 PM [Eastern DayOght Time] * SVR:USPTO-EPXRF-1/4 * DNIS:8729306 * CSID:703 448 7397 * DURATION (mm-es):02-16